

L Numb r	Hits	Search Text	DB	Time stamp
1	7009	250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/30 08:28
6	43467	(determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4))	USPAT; EPO; JPO; DERWENT	2003/04/30 09:46
11	1025	(DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:54
16	342	((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4))) and ((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part)))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:39
31	200	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4)))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:40
36	9	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and ((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part)))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:40
21	3	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and (((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4))) and ((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:42
41	7331	jitter\$4 near5 (control\$5 or minimiz\$8 or reduc\$5)	USPAT; EPO; JPO; DERWENT	2003/04/30 08:47
46	9951	((data or clock) near5 circuit\$5) and (subtract\$4 near5 circuit\$2)	USPAT; EPO; JPO; DERWENT	2003/04/30 08:48

51	1	((250/214A.ccls. 250/214R. cls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and ((determin\$6 r d t ct\$4 r c mput\$6 r m asur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4)))) and (jitter\$4 near5 (control\$5 or minimiz\$8 or reduc\$5))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:49
56	6	((250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4)))) and (((data or clock) near5 circuit\$5) and (subtract\$4 near5 circuit\$2))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:50
61	3330	(DC near5 bias) near8 (AC)	USPAT; EPO; JPO; DERWENT	2003/04/30 08:54
66	10	((250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4)))) and ((DC near5 bias) near8 (AC))	USPAT; EPO; JPO; DERWENT	2003/04/30 08:54
71	577854	((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4)))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:47
76	488	((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4)))	USPAT; EPO; JPO; DERWENT	2003/04/30 10:15

81	5	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and (((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))) and ((determine\$6 or detect\$4 or compute\$6 or measure\$6 or calculate\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 10:06
91	1072	((DC near5 bias) near8 (AC)) and ((determine\$6 or detect\$4 or compute\$6 or measure\$6 or calculate\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 10:15
96	15	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and (((DC near5 bias) near8 (AC)) and ((determine\$6 or detect\$4 or compute\$6 or measure\$6 or calculate\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 10:40
101	6	(jitter\$4 near5 (control\$5 or minimize\$8 or reduce\$5)) and (((DC near5 bias) near8 (AC)) and ((determine\$6 or detect\$4 or compute\$6 or measure\$6 or calculate\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:07
106	199619	250/\$.ccls. 330/\$.ccls. 327/\$.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/30 11:07
111	66	(250/\$.ccls. 330/\$.ccls. 327/\$.ccls.) and (((determine\$6 or detect\$4 or compute\$6 or measure\$6 or calculate\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4))) and ((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:08
116	5	((DC near5 bias) near8 (AC near5 (component or portion or signal\$4 or part))) and (((data or clock) near5 circuit\$5) and (subtract\$4 near5 circuit\$2))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:08

121	2	((250/\$.ccls. 330/\$.ccls. 327/\$.ccls.) and (((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 (DC near4 (level or value or component or portion or part or signal\$4)))) and ((DC near5 bias) near8 (AC near5 (component or portion or part or signal\$4 or part)))) and (((data or clock) near5 circuit\$5) and (subtract\$4 near5 circuit\$2))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:35
126	175	(250/\$.ccls. 330/\$.ccls. 327/\$.ccls.) and (((DC near5 bias) near8 (AC)) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:35
136	2	((250/\$.ccls. 330/\$.ccls. 327/\$.ccls.) and (((DC near5 bias) near8 (AC)) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4)))) and (jitter\$4 near5 (control\$5 or minimize\$8 or reduce\$5))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:36
141	5	((250/\$.ccls. 330/\$.ccls. 327/\$.ccls.) and (((DC near5 bias) near8 (AC)) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4)))) and (((data or clock) near5 circuit\$5) and (subtract\$4 near5 circuit\$2))	USPAT; EPO; JPO; DERWENT	2003/04/30 11:36
146	646705	(determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or compar\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))	USPAT; EPO; JPO; DERWENT	2003/04/30 12:07
151	1141	((DC near5 bias) near8 (AC)) and ((determin\$6 or detect\$4 or comput\$6 or measur\$6 or calculat\$6 or compar\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4)))	USPAT; EPO; JPO; DERWENT	2003/04/30 12:07

156	15	(250/214A.ccls. 250/214R.ccls. 250/214LA.ccls. 250/214C.ccls. 330/59.ccls. 330/308-309.ccls. 327/514.ccls. 327/545.ccls. 327/547.ccls. 327/530.ccls.) and (((DC n ar5 bias) near8 (AC)) and ((d t rmin\$6 r d t ct\$4 or comput\$6 r measur\$6 or calculat\$6 or compar\$6 or control\$5) near12 ((DC or max or min or maximum or minimum or high\$3 or low\$3) near4 (output or level or value or component or portion or part or signal\$4))))	USPAT; EPO; JPO; DERWENT	2003/04/30 12:07
-----	----	--	--------------------------------	---------------------